




SURGICAL AND EXAMINATION LIGHTING SYSTEMS




MODEL IDENTIFICATION

Surgical & Examination Lighting Systems Model Identification



Description	Page
Nova Series	2
Argos Series	3
Infinity IN Series	4
Infinity IFB Series	5
Infinity IF54 Series	6
Infinity Series - 30TV, 30AR	7
Stellar Series	8
Millennium Gold Series	9
Universe Series	10
Universe II Series	11
Astro HA43 Series	12
Astro IN19 Series	12
Camera Systems	13
Mini Argos Series	14
EX-100/62/52	14
Spectra HA18 Series	15
Spectra IN9 Series	15
Focus & Positioning Handles	16
Lit-Lok Handle Adapters	17
Bulb Identification	18

Features / Options


Side Focus Knob




Snap in Center Focus Handle



Lighthead Intensity Control




Wall Intensity Control



CR - Sealed Beam
A1-010-18






Bulb Types



Halogen 24V / 50w
B1-010-28

Elevato

Provides Low Angle Lighting



Model 100

14 bulbs, 40" Diameter

Model 90


12 bulbs, 35" Diameter

Model 75

8 bulbs, 30" Diameter


Model 58


5 bulbs, 22" Diameter




Data Label Information

Location: Front Face of Lighthead






Model 75AR - Hub Mounted
7 bulbs, 30" Diameter




Model 76AR- BOM Mounted
7 bulbs, 30" Diameter

Data Label Information

Location: Center Band of Lighthead




Features / Options




Auxilliary Focus Knob

Wall Intensity Control




Bulb Type

Halogen 24V / 50w
B1-010-28




Remote Control Wand




Features / Options


Side Focus Knob




Snap in Center Focus Handle



Wall Intensity Control





Bulb Type
Halogen 24V / 50w
B1-010-28




Elevato


Provides Low Angle Lighting



Model 30
8 bulbs, 30" Diameter




Model 22
5 bulbs, 22" Diameter




Data Label Information

Location: Center Band of Lighthead


BULB TYPE	ELECTRIC RATING	CAT. NO.	MODEL (CAT NO.)
FUSE TYPE	INPUT		
	BULBS TYPE		
	SAFETY FUSE		
SERIAL NUMBER	SERIAL NO.		
	DAI-ICHI SHOMEI CO., LTD. TOKYO, JAPAN		



Model 30
8 bulbs, 30" Diameter



Model 22
5 bulbs, 22" Diameter




Data Label Information

Location: Center Band of Lighthead


BULB TYPE	ELECTRIC RATING		CAT. NO.		MODEL (CAT NO.)
	INPUT				
FUSE TYPE	BULB TYPE				
	SAFETY FUSE				
SERIAL NUMBER	SERIAL NO.				
	DAI-ICHI SHOMEI CO., LTD. TOKYO, JAPAN				

Features / Options


Side Focus Knob




Snap in Center Focus Handle




Wall Intensity Control



Bulb Type
Halogen 24V / 50w
B1-010-28




110° Vertical Travel




Features / Options


Side Focus Knob




Snap in Center Focus Handle





Lighthead Intensity Control




Bulb Type
Halogen 24V / 50w
B1-010-28



Elevato Provides Low Angle Lighting





Model 54
4 bulbs, 22" Diameter




Data Label Information

Location: Center Band of Lighthead






Model 30TV
8 bulbs, 30" Diameter



Model 30AR
8 bulbs, 30" Diameter



Data Label Information


Location: Center Band of Lighthead

BULB TYPE	ELECTRIC RATING		CAT. NO.	MODEL (CAT NO.)
	INPUT	BULB TYPE		
FUSE TYPE	SAFETY FUSE	SERIAL NO.		
		DAI-ICHI SHOMEI CO., LTD. TOKYO, JAPAN		


Features / Options

Handle Mount


Lighthead Focus Control
Camera Rotation Control




Provision for 3-Chip Camera




Remote Control Wand



Wall Intensity Control




Bulb Type
Halogen 24V / 50w
B1-010-28




Features / Options

Side Focus Knob




Snap in Center Focus Handle





Wall Intensity Control




Bulb Type
Halogen 24V / 50w
B1-010-28




110° Vertical Travel



Model 29
7 bulbs, 29" Diameter



Model 23
5 bulbs, 23" Diameter




Data Label Information


Location: Lighthead face

BULB TYPE	SKYTRON - GRAND RAPIDS, MI	MODEL (CAT NO.)
	ELECTRIC RATING	CAT. NO.
FUSE TYPE	INPUT	
	BULB TYPE	
	SAFETY FUSE	
SERIAL NUMBER	SERIAL NO.	
	DAI-CHI SHOMEI CO., LTD. TOKYO, JAPAN	


Features / Options




Model 24
1 bulb, 24" Diameter




Snap in Center Focus Handle




Bulb Type
Halogen 24V / 170w
B1-310-01



Wall Intensity Control with Bulb Change Indicator




110° Vertical Travel




Data Label Information

Location: Center Band of Lighthead




Features / Options

Snap in Center Focus Handle




Side Focus Knob




Bulb Type


Super Halogen 24V / 50w
A1-510-01



Wall Intensity Control







Lighthead Intensity Control




Elevato

Provides Low Angle Lighting




Model 63

10 bulbs, 38" Diameter




Model 61

7 bulbs, 32" Diameter




Model 60




4 bulbs, 22" Diameter




Data Label Information

Location: Front Face of Lighthead






Model 60
4 bulbs, 22" Diameter




Model 61
6 bulbs, 32" Diameter




Data Label Information

Location: Front Face of Lighthead




Features / Options


Side Focus Knob




Snap in Center Focus Handle




Bulb Type
Super Halogen
24V / 60w, A1-420-10



Wall Intensity Control



Elevato
Provides Low Angle Lighting




ASTRO HA43 SERIES

Surgical Lighting


Features / Options

Bulb Type

Halogen 24V / 50w
B1-010-28





INTENSITY
CONTROL



STERILIZABLE
POSITIONING HANDLE

Elevato

Provides Low Angle Lighting



Model 43

3 bulbs, 19" Diameter

Data Label Information

Location: Front Face of Lighthead

BULB TYPE	ELECTRIC RATING		CAT. NO.		MODEL (CAT NO.)
	INPUT				
FUSE TYPE	BULBS TYPE				
	SAFETY FUSE				
SERIAL NUMBER	SERIAL NO.				
	DAI-ICHI SHOMEI CO., LTD. TOKYO, JAPAN				


ASTRO IN19 SERIES

Surgical Lighting


Features / Options

Bulb Type

Halogen 24V / 50w
B1-010-28





INTENSITY
CONTROL



STERILIZABLE
POSITIONING HANDLE

Elevato

Provides Low Angle Lighting




Model 19

3 bulbs, 19" Diameter


Data Label Information

Location: Front Face of Lighthead


BULB TYPE	ELECTRIC RATING		CAT. NO.		MODEL (CAT NO.)
	INPUT				
FUSE TYPE	BULBS TYPE				
	SAFETY FUSE				
SERIAL NUMBER	SERIAL NO.				
	DAI-ICHI SHOMEI CO., LTD. TOKYO, JAPAN				



Model IF22H




Model ML24TV





Model ST23TV

Features / Options

Handle-Cam Camera System



TV-1 Camera System




MINI ARGOS SERIES

Examination Lighting


Features / Options

Bulb Type


Halogen 24V / 100w
B1-011-32





Optional Wall Control (-WC)



Remote Control Wand - Early



Remote Control Wand - Rechargeable




Model HA30AR - HA60AR

Recessed Ceiling Fixture
13-1/2" Diameter, Computer positioned

Data Label Information

Location: Front Face of Lighthead




EX-100/62/52

Examination Lighting

Features / Options


Bulb Types



EX-52
Krypton-Halogen
24V / 50w
A1-510-01

EX-62
Super Halogen
24V / 60w
A1-420-10

EX-100
Super Halogen
24V / 100w
A1-430-03



Model EX-100 9-1/2" Diameter



Model EX-62 9-1/2" Diameter

Model EX-52 8-1/2" Diameter

Recessed Ceiling Fixture


Model EX-52/62
Wall Mounted Controls


Model EX-62/100
Wall Mounted Controls



Data Label Information

Location: Front Face of Lighthead





Model 18


Data Label Information

Location: Front Face of Lighthead


BULB TYPE	ELECTRIC RATING	CAT. NO.	MODEL (CAT NO.)
FUSE TYPE	INPUT		
SERIAL NUMBER	BULB TYPE		
	SAFETY FUSE		
	SERIAL NO.		
	DAI-ICHI SHOMEI CO., LTD. TOKYO, JAPAN		

Features / Options

Bulb Type
Halogen 24V / 75w
B1-010-29





INTENSITY CONTROL



POSITIONING HANDLES

Elevato

Provides Low Angle Lighting



Model 9EL


Data Label Information

Location: Front Face of Lighthead


BULB TYPE	ELECTRIC RATING	CAT. NO.	MODEL (CAT NO.)
FUSE TYPE	INPUT		
SERIAL NUMBER	BULB TYPE		
	SAFETY FUSE		
	SERIAL NO.		
	DAI-ICHI SHOMEI CO., LTD. TOKYO, JAPAN		

Features / Options

Bulb Type
Halogen 24V / 75w
B1-010-29




STERILIZABLE POSITIONING HANDLE




INTENSITY CONTROL

Elevato


Provides Low Angle Lighting




FOCUS & POSITIONING HANDLES




**B1-020-74
NOVA SCREW-IN
CF HANDLE**




**B1-020-75 NOVA
B1-210-45 INFINITY
SNAP-IN CF HANDLE
ALUMINUM - OBSOLETE**




**B1-210-45 NOVA / INFINITY
SNAP-IN CF HANDLE
PLASTIC - REPLACEMENT**




**A1-020-97
POST**




**A1-010-29-1
STERILE POSITIONING
HANDLE**




**A1-020-71
EXCEL SNAP-IN
CF HANDLE**



**A1-020-98
COVER - UNIVERSE CF
HANDLE ASSEMBLY**




**A1-610-04
UNIVERSE II SNAP-IN
CF HANDLE**




**B1-210-50 INFINITY (IF)
STELLAR, MILLENNIUM GOLD
SNAP-IN CF HANDLE**

LITE-LOK HANDLE ADAPTERS




B1-020-100

Center Focus with detachment ring
applications: *Universe I / Excel snap-in*




B1-020-101

Nova snap-in center focus
applications: *late Nova / "IN" Infinity*




B1-020-102

Nova center focus, screw-on
applications: *early Nova*




B1-020-103

Excel / Nova positioning handle, screw-on
applications: *Astro 45 & 93 / IN Argos / IN TV*




B1-020-104

Universe II center-focus
applications: *Universe II*




B1-020-112

Skytron Infinity "IF" models
applications: *IF22 / IF30 / IF54 / ML24
ST23 / ST29*




B1-020-107

Siemens / Heraeus
applications: *2000 series*



B1-020-109

applications: *ALM or ALM/Chick*



B1-020-106


applications: *Amsco (all models)*

B1-020-99-1 Disposable Handle Cover, single pack


B1-020-99-2 Disposable Handle Cover, dual pack

BULB IDENTIFICATION


FIXTURE SERIES	BULB TYPE	BULB ID	PART NUMBER
Millennium Gold	Halogen, 24V, 170W		B1-310-01
Stellar ST9	Halogen, 24V, 50W	H24501	B1-010-28
	Halogen, 24V, 75W	H2475X	B4-240-04
Infinity "IF"	Halogen, 24V, 50W	H24501	B1-010-28
Infinity "IN"	Halogen, 24V, 50W	H24501	B1-010-28
Nova	Sealed Beam, HCR-150	HRC-150-35	A1-010-18
	Halogen, 24V, 50W	H24501	B1-010-28
Astro HA43 & IN19	Halogen, 24V, 50W	H24501	B1-010-28
Spectra HA18 & IN9	Halogen, 24V, 75W	H2475	B4-010-29
HA30AR & HA30AR-WC	Halogen, 24V, 100W	H24100	B5-011-32
HA60AR & HA60AR-WC	Halogen, 24V, 100W	H24100	B5-011-32
Universe II "UN"	Krypton/Halogen, 24V, 60W	SH-62	A1-420-10
Universe "SH"	Krypton/Halogen, 24V, 50W	SH-52	A1-510-01
Excel	Sealed Beam, HCR-150	HCR-150-3S	A1-010-18
	Krypton/Halogen, 24V, 40W	SH-42	A1-010-28-1
EX-52	Krypton/Halogen, 24V, 50W	SH-52	A1-510-01
EX-62	Krypton/Halogen, 24V, 60W	SH-62	A1-420-10
EX-100W	Krypton/Halogen, 24V, 100W	SH-100	A1-430-03
Mini-Star	Halogen, 12V, 35W	FRB-3L	C1-010-32



SEALED BEAM - A1-010-18



HALOGEN



KRYPTON / HALOGEN

Data Label Information Location: Front Face of Lighthead

BULB TYPE	ELECTRIC RATING	CAT. NO.	MODEL (CAT NO.)
	INPUT		
FUSE TYPE	BULB TYPE		
	SAFETY FUSE		
SERIAL NUMBER	SERIAL NO.		
	DAIICHI SHOMEI CO., LTD. TOKYO, JAPAN		